

Yealink



YEALINK MEETINGBAR

POWERFULLY SIMPLE

For Small and Medium Rooms



YEALINK NETWORK TECHNOLOGY CO., LTD.
sales@yealink.com | www.yealink.com

2022-01-MEETINGBAR-TEAMS-EN-V1.0

www.yealink.com



LEADING VIDEO PLATFORMS WITHIN YOUR CHOICE

Yealink MeetingBar supports diverse video platform experiences. No matter which platform you use, start your meeting right now!



FOR NOW, AND FOR FUTURE

Starting with standalone device mode, later when the company plans to adopt a cloud video platform, Yealink MeetingBar guarantees investment protection by enabling seamless upgrade to a native experience like Teams or Zoom.



INGBAR A20 AND A30

ingBar, the all-in-one video bar is designed for small and medium rooms. It runs on Android 10 OS and supporting cloud video platforms like Microsoft Teams. The Yealink MeetingBar integrates the PC, camera and audio components into a single video bar for a dedicated meeting room.



A20 small rooms (2-6 users)



A30 medium rooms (7-12 users)

SIMPLE TO SET UP A DEDICATED ROOM

Designed with simplicity, Yealink MeetingBar integrates the camera, microphone and speakers into an all-in-one system. No PC or individual components are required, allowing plug-and-play for a dedicated room setup within minutes, greatly reducing the time needed for deployment and management.



— HDMI — Power — CAT5e

MEET THE CAMERA TAILORED TO YOUR SPACE



MeetingBar A20 is designed for small rooms. It features a 20-megapixel sensor and 133° field of view, which ensure an ultra-clear and ultra-wide view even in small spaces.

MeetingBar A30 dual-camera system is perfect for medium rooms. It features an optical camera with 10x optical zoom and an 8-megapixel digital camera with a 120° field of view, delivering a clear visual experience with depth, which is unable to be achieved with a single camera.



20 MegaPixel sensor



120° field of view




8x digital zoom



Dual-camera system



10x hybrid HD zoom




8MP sensor, 120° field of view

AI-POWERED VIDEO FOR AUTOMATIC PERFECTION

Auto Framing

Auto Framing recognizes the number and the positions of attendees, framing everyone smoothly in the most appropriate view even in small spaces.



Speaker Tracking

Speaker Tracking frames a real-time close-up on the presenter, bringing a vivid face-to-face meeting experience and ensuring attendees are well-engaged.



Picture-in-Picture

Picture-in-picture shows the meeting room and the speaker at the same time, enabling users to keep an eye on who's talking even if the speaker is seated at the far end.



Multi-Focus Framing

It turns equal windows of multiple persons into a recombined meeting view, solving the problem of distractions due to an unclear background.



Smart Gallery (Zoom Only)


Smart gallery displays three video feeds, one panoramic view, and two individual view of the current and last active speaker. This allows to display the group more clearly to remote attendees.





IMMERSIVE VOICE IN EVERY CORNER


The built-in 8 MEMS microphone arrays and speaker in Yealink MeetingBar, completely cover up to 6-meter medium-sized spaces. As the MeetingBar is equipped with a powerful independent audio processing unit, you can enjoy a worry-free, full-duplex voice experience with superior performance.






AI-BASED VOICE CLEAN UP ALL THE NOISE

Yealink enhanced AI noise cancellation makes the audio experience more brilliant. Leveraging a massive deep-learning sound database to reduce background noises, it is more about intelligent audio analysis than standard filtering of audio frequencies. The distracting keyboard clatter, mouse clicks, footsteps, and other ambient noises are smartly pared back, ensuring that users enjoy crystal-clear audio quality.



ONE MEETINGBAR EFFECTIVE MEETING DONE



Dual-screen support
Video meeting and content sharing

TV mounting
Flexible mounting methods



WPP30
Wireless content sharing
Wireless on device mode



Electric lens cap
Automatically protect room privacy



Whiteboard collaboration



Mobile remote control



ONE-STOP SHOP BLAST MODERN WORKSPACE



Device Mode Solution | VCH51 & WPP30

There are two solutions for device mode connection: wired with the VCH51 and wireless with the WPP30. Both solutions are quite simple: plug-and-play, without any configuration steps.



Room scheduling | RoomPanel

Yealink MeetingBar works seamlessly with Yealink RoomPanel for rooms scheduling, including the at-a-glance room details, up-to-date scheduling status, one tap for reserving meeting spaces, and colored LED bar for indicating room status.



Wireless Microphone Extension | VCM36-W

Yealink VCM36-W wireless microphone works with Yealink MeetingBar as an optional audio component. For medium to large meeting rooms, users can choose the flexible audio solution for a dedicated meeting room based on Android.

MeetingBar Specifications

| Items | | |
|--|--|---|
| | Yealink A20 | Yealink A30 |
| Certification - Small Rooms (Microsoft, Zoom) | ● | |
| Certification - Medium Rooms (Microsoft, Zoom) | | ● |
| Operation System | Android 10 | Android 10 |
| Sensor | 20MP | Dual-camera system with 8MP |
| Camera | FOV: 120° Zoom: 8X digital | Camera 1 : 8MP / 90° / 3.5X optical PTZ * 3X digital Camera 2 : 8MP / 120° / 4X digital |
| Maximum Encoding & Decoding capabilities | 4K60 | 4K60 |
| Speaker | Built-in speaker | Built-in speakers (2) |
| Microphone | Full duplex with built in 8 MEMS microphones | Full duplex with built in 8 MEMS microphones |
| Camera Privacy Cover | Electric, automatic | Electric, automatic |
| AI Camera Feature | Auto Framing/Speaker Tracking/Multi-focus Framing/ Picture-in-Picture/Smart Gallery | Auto Framing/Speaker Tracking/ Picture-in-Picture/Smart Gallery |

| Connections | | |
|-----------------------|--|---------------------|
| HDMI | 2x HDMI-OUT (CEC supported) | |
| Wired content sharing | Through Yealink VCH51, easy to extend to the conf. table, HDMI & USB-C interface for different kinds of PC | |
| Ethernet port | 10/100M/1000M | |
| Motion Sensor | ● | |
| USB Ports | 1x USB-A (A20) / 2x USB-A (A30) | |
| Line-ins | X | 3.5mm line-in & out |
| Wi-Fi/Bluetooth | ● | ● |
| Security lock slot | ● | ● |
| Reset slot | ● | ● |

| Touch Console | | |
|---------------------|---|--|
| | Yealink CTP18 | |
| Screen | 8-inch touchscreen, 1280 x 800 | |
| Flexibility | Bracket with adjustable angle: 28° ~ 50°, meets needs for difference perspectives | |
| PoE | ●Standard with a PoE adapter | |
| Ultra Sonic Emitter | ● | |
| Wall Mounts | Standard with wall mount bracket, set up on a table or mount on a wall | |